

A4 Networking Cabinets



Standard:

- Comply with ANSI/EIA RS-310-D、IEC297-2、DIN41494;PART1、DIN41494;PART7, ETSI standard;

Feature:

- Exquisite design with precise dimension and craftsmanship;
- Toughened glass door with popular gray color, vented front door border and rear door ;
- Adjustable feet and heavy duty castors are available simultaneously;
- Cable entry on the top cover and bottom panel with adjustable sizes ;
- Optional installation of plinth to enable cabinets fixation, under-base cable entry/ventilation;
- Efficient and reliable cabinet connection by buying kit;
- Removable side panels to ease maintain;
- Around 1/3 assembled original volume when flat pack.

Material:

- SPCC cold rolled steel;
Thickness: mounting profile 2.0mm, mounting angle 1.5mm, others 1.2mm

Surface finish:

- Degreasing, pickling, phosphoric, powder coated

Degree of Protection:


- IP20

Loading capacity:

- Static loading: 800KG

Width 600mm A4 Networking Cabinets

Main Dimension



Main parts:

S/N	Specification	Quantity	Unit	Material	Surface finish	Remark
1	Top cover	1	Piece	SPCC cold rolled steel t1.2	Powder coated	---
2	Mounting profile	4	Piece	SPCC cold rolled steel t2.0	Blue zinc	---
3	Mounting angle	6	Piece	SPCC cold rolled steel t1.5	Powder coated	4pcs for lower 32U
4	Advanced moon-shaped lock	1	Piece	---	Black	With 2 keys
5	Toughened glass front door	1	Piece	Toughened glass/ t1.2 SPCC	Powder coated	---
6	2" heavy duty castor	4	Piece	---	---	---
7	Frame	2	Piece	SPCC cold rolled steel t1.2	Powder coated	---
8	Side panel	2	Piece	SPCC cold rolled steel t1.2	Powder coated	---
9	Small round Lock	1	Piece	---	Nickel coated	With 2 keys
10	Hexagonal -hole rear door	1	Piece	SPCC cold rolled steel t1.2	Powder coated	Hexagonal vent
11	Bottom panel	1	Piece	SPCC cold rolled steel t1.2	Powder coated	---
12	M6 B-head screw	20	Piece	Steel	Color zinc	40 pcs for over 32U
13	M6 square nut	20	Piece	Steel	Color zinc	40 pcs for over 32U
14	Allen wrench	1	Piece	Steel	Black	---
15	M12 adjustable feet	4	Piece	---	---	---

A4 Networking Cabinets

Specification:

Model No.	Capacity (U)	Width (mm)	Depth (mm)	Height (mm)	Packing Dimension W*D*H	Volume (CBM)	
A4.6618. ■■■■	18	600	600	988	670*670*1028	0.4615	
A4.6818. ■■■■			800		670*870*1028	0.5992	
A4.6018. ■■■■			1000		670*1070*1028	0.7370	
A4.6622. ■■■■	22	600	600	1166	670*670*1196	0.5369	
A4.6822. ■■■■			800		670*870*1196	0.6971	
A4.6022. ■■■■			1000		670*1070*1196	0.8574	
A4.6627. ■■■■	27	600	600	1388	670*670*1418	0.6460	
A4.6827. ■■■■			800		670*870*1418	0.8266	
A4.6027. ■■■■			1000		670*1070*1418	1.0166	
A4.6632. ■■■■	32	600	600	1610	670*670*1640	0.7362	
A4.6832. ■■■■			800		670*870*1640	0.9560	
A4.6032. ■■■■			1000		670*1070*1640	1.1757	
A4.6637. ■■■■	37	600	600	1833	670*670*1863	0.8363	
A4.6837. ■■■■			800		670*870*1863	1.0859	
A4.6037. ■■■■			1000		670*1070*1863	1.3356	
A4.6237. ■■■■	42	600	1200	2055	670*1270*1863	1.5852	
A4.6642. ■■■■			600		670*670*2085	0.9360	
A4.6842. ■■■■			800		670*870*2085	1.2153	
A4.6042. ■■■■			1000		670*1070*2085	1.4947	
A4.6242. ■■■■		1200	670*1270*2085		1.7741		
A4.8642. ■■■■		800	600		870*670*2085	1.2513	
A4.8842. ■■■■			800		870*870*2085	1.5781	
A4.8042. ■■■■			1000		870*1070*2085	1.9409	
A4.8242. ■■■■			1200		870*1270*2085	2.3037	
A4.6647. ■■■■			47		600	600	2277
A4.6847. ■■■■	800			670*870*2307		1.3448	
A4.6047. ■■■■	1000	670*1070*2307		1.6539			
A4.6247. ■■■■	1200	670*1270*2307		1.9630			
A4.8647. ■■■■	800	600		870*670*2307	1.3448		
A4.8847. ■■■■		800		870*870*2307	1.7462		
A4.8047. ■■■■		1000		870*1070*2307	2.0673		
A4.8247. ■■■■		1200		870*1270*2307	2.5490		

Definition of ornament strip color:

TS. ■■■■. 7 ■■■■	TS. ■■■■. 9 ■■■■
Light Red	Light blue
	

Definition of body color:

■■■. ■■■■. ■■■ 0	■■■. ■■■■. ■■■ 1
gray	black
RAL7035	RAL9004

Color:

RAL9004	RAL7035
